

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau

(43) International Publication Date
3 June 2004 (03.06.2004)

PCT

(10) International Publication Number
WO 2004/045299 A1

(51) International Patent Classification⁷: A23G 9/28

(21) International Application Number:
PCT/KR2003/000843

(22) International Filing Date: 25 April 2003 (25.04.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
20-2002-0034186
15 November 2002 (15.11.2002) KR

(71) Applicant and

(72) Inventor: SHIN, In Jae [KR/KR]; Woosung Apt. 7-508,
101-1 Jamsil-7dong, Songpa-gu, Seoul 138-798 (KR).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


(74) Agent: JU, In Jung; #701 BYC B/D. 648-1, Yeoksam-dong, Kangnam-gu, Seoul 135-080 (KR).

Published:

— with international search report

[Continued on next page]

(54) Title: PORTABLE ICE CREAM DISPENSER



(57) Abstract: According to the distribution device, portable ice cream distribution device never shown on earlier technique is provided and due to this soft ice cream can be stored so that with out any power supply storing, carrying and selling of soft ice cream in outdoor such as park and stadiums. And since it has simple composition and does not need high technology, the production cost is cheap and can be minimized and so it maximizes selling.

WO 2004/045299 A1

WO 2004/045299 A1



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

PORTABLE ICE CREAM DISPENSER**BACKGROUND OF THE INVENTION**5 Field of the Invention:

This present invention refers to portable ice cream distributor discharging certain amount of ice cream stored in container with either automatic or manual operation for storing and distributing specially soft ice cream.

Description of the Prior Art:

10 In general, the ice cream most of the people enjoy is classified usually as hard type and soft type. In case of hard type, it can be sold by scooping ice cream with spoon from freezer to cone cup or in already-wrapped type where it is saved in minimized icebox. In case of soft type, unless it is stored in freezer it easily melts in air and so it is hard to sell it in portable situation.

15 Besides, for freezer where soft ice cream is stored to maintain adequate temperature, continuous electricity source should be supplied for activation of freezer device so that it has difficulties selling outdoors such as theme park or stadium.

And also, in case of soft ice cream, when it is stored in container such as icebox it cannot supply tornado-type ice cream since it does not have special discharge device and even if
20 there is one, electricity source for this discharge device is necessary.

Due to all these reasons mentioned above, soft ice cream is hardly sold outdoor and less

people could enjoy this ice ream and cannot maximize the sale.

SUMMARY OF THE INVENTION

This invention refers to portable ice cream distributor containing part storing ice
5 cream and part storing ice or dry ice for preventing ice cream from melting and has special
feature such as activation device automatically or manually operated to discharge certain
amount of ice cream and discharge device. In addition case keeping the cups for ice cream,
portable carrier and shoulder strap can be attached.

BRIEF DESCRIPTION OF THE DRAWINGS

10 The aforementioned aspects and other features of the present invention will be
explained in the following description, taken in conjunction with the accompanying drawings,
wherein:

Figure 1 shows perspective view of assembling distribution device based on
examples of present invention.

15 Figure 2 shows front view of a side of distribution device based on examples of
present invention.

Figure 3 shows front view of a side of distribution device based on other examples of
present invention.

Figure 4 shows conceptual view of example of commercial use of distribution device
20 based on examples of this invention.

* Description of Main Parts of Figures *

10 : Container	12 : Partition Board
20 : Cover	30 : Activation Device
31 : Lever	32 : Activation Shaft
33 : Screw Groove	34 : Activation Plate
5 40 : Discharge Device	41 : Discharge Pipe
43 : Tube	45 : Discharge Outlet

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

The present invention will be described in detail by way of a preferred embodiment
10 with reference to accompanying drawings.

Technological Objective of Invention

This present invention was created to solve all those problems mentioned above and
the purpose is to provide portable distribution device which soft ice cream can be stored.

Another purpose of this invention is to maximize the sale of soft ice cream by
15 providing discharge device which can store soft ice cream without electricity source and
which is easy to produce in cheap cost.

For achieving the goal this portable ice cream distributor contains part storing ice
cream and part storing ice or dry ice for preventing ice cream from melting and has special
feature such as activation device automatically or manually operated to discharge certain
20 amount of ice cream and discharge device.

Activation device is designed in mechanical activation principal which does not

require power supply and motor running by recharged battery for automatic activation (switch select) can be equipped. This design is equipped with minimized device and simplification of composition. Detailed descriptions on figures showing experimental examples of this present invention are followed.

5 Figure 1 is a composition perspective view of distribution device based on example of this invention and figure 2 is front view showing a part of distribution device. As it is shown, the cover (20) dischargeable from the container (10) is equipped with adiabatic element (11)(21) and the container and cover can be opened/closed using hinge (15) as shown on figure 1.

10 Inside of container (10) is divided into central part (100) and 2 side part (101) close to this central part by partition board (12) and soft ice cream is stored in the central part (100) while cooling elements such as dry ice or ice are stored in the side part (101).

In the middle of cover mentioned above, packing (22) is made to form a hole and through this hole of packing (22), activation axis (32) one of activation device (30) penetrates through and
15 bottom hem of this activation axis (32) is fixed on groove (13) which makes the axis rotate.

Rotation of activation axis (32) is operated manually be lever (31) made on upper hem and on outer side of this activation axis, screw groove (33) is formed. Activation plate (34), contacted with screw groove (33) can be ascent or descent with rotation. Combination of activation plate (34) and activation axis can be connected with screw groove (33) around central part of
20 activation plate and axis with ball in the center of activation plate such as ball bearing (35) is combined in one form and with settlement of this ball to screw groove (33) ascent or descent

by rotation can be amicable.

And also, the activation plate should be at least in same size or smaller to minimize the amount of ice cream stored in lower part of activation plate (34) leaking into upper part.

On a part of bottom side of the container (10) discharge pipe (41) one of discharge devices
5 (40) forms a hole and prescribed length of tube with flexibility is connected with the discharge pipe (41) by connection part (42).

Knob (44) is equipped on a prescribed location of tube (43) has discharge outlet (45) on the other hem of connection part and this discharge outlet (45) is formed in star shape to discharge ice cream in tornado shape and by producing the tube (43) with adiabatic element it
10 prevents ice cream in the tube from melting.

Meanwhile, on a prescribed part of outer side of container, hanger part (14) is equipped so that tube is not carried while moving one place to another and it prevents ice cream from discharging eventually.

Operation of distribution device is described based on example as followed.

15 As it is mentioned earlier, in the central part, soft ice cream is stored and dry ice or ice is stored on a side part and with container (10) closed with cover (20) it maintains ice cream in freeze condition with freeze element cutting the temperature of outside with adiabatic substance.

When to discharge ice cream stored, by rotating lever (31) to a side, activation axis rotates
20 and so activation plate (34) descent and press ice cream which is discharged through discharge pipe (41), tube (43) and discharge outlet (45).

Figure 3 is a front view showing a part of discharge device based on example of this present invention and important symbols of immediate constituent repeated is not mentioned and as it is shown on figure, activation axis (32) can rotate automatically with motor (23).

Motor (23) can be any part of upper portion of cover and rotation axis and activation axis of
5 motor is connected to belt (24) and motor (23) rotates by rechargeable battery (25) and device is controlled with switch (46) place on the knob (44).

For automatic distribution device, considering this invention is portable, the weight of motor battery increases and so diverse technique to minimize all those devices can be applied.

Figure 4 is a conceptual view of example of this discharge device in commercial use
10 and as it is shown in the figure, carrier device (102) such as should strap can be used for convenience of movement and as it is shown on figure 1 or 3, support (102) to place the device on the ground cab be added in several types. As it is shown on figure 3, by adding case (17) holding cone cups, since the seller can hold the knob and cone cup at the same time, it is much more convenient.

15 As in conceptual view in figure 4, discharge device of this invention can change its design with modern sense, and also frozen yogert can be stored or distributed too. This invention is described in detail however it can go through any changes or improvements in range of not running counter to essence spirit and aspect of this invention.

WHAT IS CLAIMED IS:

1. For device distributing storing ice cream,

Portable ice cream distribution device has central part (100) and side part (101) divided by partition board (12) and outside is made with adiabatic substances. It is composed with

5 container (10) with grooved on the inner center, cover made of adiabatic substance with packing forming hole in the middle,

activation device (30) with lever (31) fixed on upper side of activation axis (32) mentioned earlier and with hem of activation axis (32) penetrating the packing and activation plate (34) placed on screw groove (33) formed outside,

10 and combination of discharge devices such as discharge pipe (41) forming hole on prescribed part of bottom side of container and tube (43) with knob (44) connected to the discharge pipe and finally discharge outlet (45) on the hem.

2. In claim 1,

Portable ice cream distribution device which has motor on prescribed portion of cover

15 replacing lever mentioned above and battery running this motor and device which is equipped with switch on the knob controlling rotation of motor and which the rotation of motor transmits to activation axis (32).

3. In claim 1 or 2,

Portable ice cream distribution device which has special feature of rotating ball bearing (35)

20 placed on screw groove on the center of activation plate.

4. In claim 3,

Portable ice cream distribution device with additional device such as hanger part (14) fixing the tube on a side of outer portion of container or case (17) holding the cone cup.

5. In claim 4,

Portable ice cream distribution device with addition device such as strap (102) to hold the
5 device on body or support (16) to put the device on ground.

FIG. 1




FIG.2




FIG. 3





FIG. 4



INTERNATIONAL SEARCH REPORT

International application No.

PCT/KR03/00843

A. CLASSIFICATION OF SUBJECT MATTER**IPC7 A23G 9/28**

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7 A23G 9/00, A23G 9/02, A23G 9/04, A23G 9/06, A23G 9/08, A23G 9/10, A23G 9/12, A23G 9/14, A23G 9/16, A23G 9/18, A23G 9/20, A23G 9/22, A23G 9/24, A23G 9/26, A23G 9/28, A23G 9/30

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Korean Patents and applications for inventions since 1975

Korean Utility and applications for Utility models since 1975, Japanese Utility models and application for Utility models since 1975

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

NPS, JPO

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US4736600A(Lester Brown, George Gropper, Mario J. Aguilar)12 April 1988	1, 2
A	US3939667A(Sweden Freezer Manufacturing Co.), 24 February 1976	1
A	KR1999-007726A(Son, Ki-Bok)25 January 1999	1
A	US4653281A(VEER RICHARD F V D) 31 March 1987	1

☐ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

12 AUGUST 2003 (12.08.2003)

Date of mailing of the international search report

13 AUGUST 2003 (13.08.2003)

Name and mailing address of the ISA/KR

Korean Intellectual Property Office
920 Dunsan-dong, Seo-gu, Daejeon 302-701,
Republic of Korea

Facsimile No. 82-42-472-7140

Authorized officer

KIM, Ji Hyeong

Telephone No. 82-42-481-5634



INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/KR03/00843

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US4736600A	12.04.1988	US4736600A W08807330A1	12.04.1988 06.10.1988
US3939667A	24.02.1976	NL6913543A US3939667A	11.03.1970 24.02.1976
KR1999-007726A	25.01.1999	None	
US4653281A	31.03.1987	US4653281A	31.03.1987